

10/529967

JC13 Rec'd PCT/PTO 31 MAR 2005

DOCKET NO.: NIHA-0194
Application No.: Not Yet Known
Preliminary Amendment - First Action Not Yet Received

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

**George Janini, Haleem J. Isaaq, Timothy
D. Veenstra, Thomas P. Conrads and
Kenneth L. Wilkens**

Confirmation No.: Not Yet Assigned

Application No.: Not Yet Known

Group Art Unit: Not Yet Assigned

International Serial No.:
PCT/US2003/033200

International Filing Date: **October 20,
2003**

Filing Date: Not Yet Assigned

Examiner: Not Yet Assigned

For: **CONTIGUOUS CAPILLARY ELECTROSPRAY SOURCES AND
ANALYTICAL DEVICE**

**EXPRESS MAIL LABEL NO: EV614723977US
DATE OF DEPOSIT: March 31, 2005**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

PRELIMINARY AMENDMENT PURSUANT TO 37 CFR § 1.115

Preliminary to examination of the above-captioned patent application, please amend the application as follows:

- ☒ **Amendments to the Specification** begin on page 2 of this paper.
- ☐ **Amendments to the Claims** are reflected in the listing of the claims which begins on page of this paper.
- ☐ **Amendments to the Drawings** begin on page of this paper and include an attached replacement sheet.
- ☒ **Remarks** begin on page 6 of this paper.